



Heterogeneity of the Link between Depression and Self-Esteem Based on Race

Assari Shervin (MD, MPH)^{1,2*}, Dejman Masoumeh (MD)³

ARTICLE INFO

Article type:
Original Article

Article history:
Received: 25 April 2016
Accepted: 9 June 2016
Available online: 30 June 2016
CJNS 2016; 2 (5): 7-21

1. Department of Psychiatry, University of Michigan, Ann Arbor, USA
2. Center for Research on Ethnicity, Culture and Health (CRECH), School of Public Health, University of Michigan, Ann Arbor, USA
3. Department of Mental Health, Johns Hopkins Bloomberg School of Public Health, Johns Hopkins University, Baltimore, USA

***Corresponding author:**
Department of Psychiatry,
University of Michigan, Ann
Arbor, USA
Email: assari@umich.edu

ABSTRACT

Background: Although the association between major depressive disorder (MDD) and low self-esteem is well established, we do not know if race and ethnicity modify the magnitude of this link.

Objectives: Using a nationally representative sample of adults in the United States, we explored whether or not race alters the association between MDD and self-esteem.

Materials and Methods: Data came from the National Survey of American Life (NSAL), a nationally representative household survey with 3,570 African Americans (Blacks) and 891 Non-Hispanic Whites. Low self-esteem (Rosenberg Self-Esteem Scale) was the dependent variable, MDD (Composite International Diagnostic Interview) was the independent variables, gender, age and educational level were controls, and race was the focal moderator. Logistic regressions were used for data analysis.

Results: In the pooled sample, MDD and low self-esteem showed reciprocal associations, above and beyond all covariates. Our model showed significant interaction between race and MDD, suggesting a stronger association between MDD and self-esteem among Blacks compared to Whites. We could find such interactions among men but not women.

Conclusion: Depression and low self-esteem are more strongly linked among Blacks than Whites, particularly among men. It is not clear whether depression leaves a larger scar on self-esteem for Blacks or that Blacks are more vulnerable to the effect of low self-esteem on depression.

Keywords: Major Depressive Disorder; Ethnic Groups; Self-Esteem

Copyright © [2016] Caspian Journal of Neurological Sciences. All rights reserved.

➤ **Please cite this paper as:**
Assari S, Dejman M. Heterogeneity of the Link between Depression and Self-Esteem based on Race. Caspian J Neurol Sci 2016; 2(5): 7-21.

Introduction

Negative evaluation of self is a core element of depression (1-3). Based on Beck's Cognitive Theory, depression is mainly composed of negative evaluation of self, the world, and the future (4,5). Empirical evidence also supports Beck's

theory, as individuals develop negative evaluations about self, following experiencing failure, which in turn increases risk of depression (6).

People with low self-esteem are at higher risk of depression, and people with depression

are more likely to feel worthless and inadequate. High self-esteem is essential for maintaining emotional well-being (7). Directionality of the association between depression and low self-esteem has been a matter of debate for decades (8,9), with theoretical work and empirical evidence suggesting bidirectional links between depression and low self-esteem. Based on the *scar model*, depression deteriorates subsequent self-esteem, suggesting that depression leaves “scars” on the individual’s self-evaluation (10-12). Based on the *vulnerability model*, low self-esteem is a causal risk factor for future depression (13). A meta-analysis of 77 longitudinal studies with about 35,000 participants indicated that the links between depression and self-esteem are reciprocal (14).

Self-esteem levels vary across race and ethnic groups (15). A study using the Rosenberg Self-Esteem Scale among adolescent samples from four countries (U.S., China, Czech and Korea) showed that, on average, the two subscales of self-esteem scores were higher among American and Chinese adolescents than Czech or Korean adolescents (3). Chinese people have lower total self-esteem than North Americans (16,17), possibly because self-enhancement is unfavorable in East Asian cultures (17). Research has also indicated that self-esteem better predicts emotional well-being in individualistic rather than collectivist cultures (16).

There is a need to study racial, ethnic, and cultural differences in the link between depression and evaluation of the self, others, and future. A growing body of research suggests that our social group membership may shape how our depression is accompanied with dysfunctional attitudes

about ourselves, people around us, and our future (18,19). While depressive symptoms were more strongly associated with poor evaluation of future among Whites in a very recent study (18), in another study, higher level of depressive symptoms was associated with lower level of mastery among White but not Black older Americans (19). Thus, cognitive elements of depression may have different roles in depression across ethnic groups (4,5). Thus, research should still explore whether or not cultural groups differ in the salience of components of Beck's Cognitive Theory.

Based on the *differential effect hypothesis*, diverse populations including race and ethnic groups have different vulnerabilities and resilience to the effects of the very same risk and protective factors on the same health outcomes (20-22). This hypothesis is distinct from the traditional approach in the health disparities literature which has attributed different levels of health outcomes to *different exposures* (23). Built on the *differential effect hypothesis*, this work conceptualized the self-esteem - depression link as a heterogenic association, as psychosocial and medical correlates of depression have shown to vary based on race and ethnicity (23,24-31). That is race moderates the association between self-esteem and depression.

In this study we hypothesized that race modifies the association between depression and self-esteem. We also explored whether this effect modification depends on gender. Instead of studying additive effects of race, gender, and depression on self-esteem, we were interested in the interactive (non-linear) effects of race, gender, and depression on self-esteem. To provide generalizable results, we used data from National Survey of

American Life (NSAL), a nationally representative study in the United States.

Materials and Methods

This cross sectional-analytical study used data from the National Survey of American Life (NSAL), 2003. The Institutional Review Board of the University of Michigan approved recruitment and consent procedures.

Participants:

The NSAL used a national household probability sample of African American, and non-Hispanic White individuals 18 years and older. Sampling design, procedures, and interviewer training and supervision have been described previously (32,33). The NSAL has applied a multi-stage sampling design. The 'core' sample for the NSAL was a national area probability sample from which African Americans and Whites were sampled. NSAL also had a special supplemental sample of households in areas of high Caribbean Black residential density. Similar to the National Survey of Black Americans, 1979–80, the NSAL core sample was optimal for drawing the African-American sample. The NSAL national area probability sample was selected independently of other CPES samples.

Interview:

Data was collected through face to face computer-assisted (86%) or telephone (14%) interviews. Interviews typically lasted an average of 2 hours and 20 minutes. All interviews were conducted in English. The final response rate was 72.3% overall.

Measures:

Socio-demographic information collected for this study included age, sex, income, marital status, employment status, and educational level.

Self-Esteem. Participants completed the 10-item Rosenberg Self-Esteem Scale, (RSES, Rosenberg, 1965) (34). The responses on the scale were measured on a 5-point Likert scale: 1 (strongly agree), 2 (agree), 3 (neutral), 4 (disagree), and 5 (strongly disagree). Six items are positively-worded (items 1, 2, 4, 6, 7, and 8) whereas the remaining four are negatively-worded (3, 5, 9, and 10). Negative items were reverse-coded prior to data analysis. Addition of the item scores gave an overall score ranging from 10–40 with higher score indicating lower self-esteem. Several studies have used mean score to define low and high self-esteem (35–38).

Outcome. Lifetime and twelve month MDD (MDD, MDE, MDDH) were measured using a modified version of the World Mental Health Composite International Diagnostic Interview (CIDI). The CIDI is a fully structured diagnostic interview for evaluation of a wide range of *DSM-IV* psychiatric disorders and has been used reliably on the World Mental Health project (39). The CIDI-based interviews are being conducted by trained lay interviewers to generate diagnoses of lifetime, 12-month, and 30-day *DSM-IV-TR/ICD-10* disorders. Clinical reappraisal studies have documented generally good concordance of CIDI diagnoses with diagnoses made by psychiatrists (40–42). Validity of CIDI among Blacks and ethnic groups of Blacks has been explored previously (43).

Statistical Analysis:

Stata 13 (Stata Corp., College Station, TX, USA) was used for data analysis. As the NSAL used a multistage sample design involving clustering and stratification to account for the complex design, weights were applied to provide nationally representative results. Standard errors were calculated using

Jackknife method, based on strata, clusters, and non-response weights. Sub-population analyses for surveys were applied. Among the pooled sample, and also men and women, we fitted logistic regressions considering poor self-esteem as the dependent variable, and 12-month depression (MDD) as independent variables, age and education as controls, and race and gender as moderators. First, in the pooled sample, main effects of race, gender, and education on self-esteem were determined (Table 2). Then, we included depression (Table 3). Finally, we added the interaction term between race and depression, separately for men and women (Table 4). Adjusted Odds Ratios (OR) and 95% Confidence Intervals (CI) were reported. *p*-value less than 0.05 was considered statistically significant.

Results

Table 1 presents descriptive statistics in the pooled sample, and based on race, gender, and their intersection.

Table 2 summarizes logistic regressions with race as the predictor and high self-esteem as the outcome in the pooled sample, as well as based on gender. While men and Whites had higher odds of high self-esteem, education was also linked to self-esteem.

Table 3 shows a summary of logistic regressions with race and MDD as predictors, and high self-esteem as the outcome, in the pooled sample, and based on gender. Based on these models, in the pooled sample, and among men, and women, MDD was associated with lower odds of high self-esteem.

Table 4 presents a summary of logistic regressions with race, MDD, and race \times MDD as the predictors, and high self-esteem as the outcome in the pooled sample and based on

gender. We found a race by MDD interaction, suggesting that the association between MDD and self-esteem is stronger for Blacks compared to Whites. We could replicate this interaction among men but not women.

Discussion

Supporting the differential effect hypothesis (23,44-51), our study found Black – White differences in the magnitude of the association between MDD and self-esteem, with a stronger association among Blacks than Whites. The stronger association among Blacks was due to Black men.

These findings comply with previous reports by Assari that race alters how Beck's cognitive elements are relevant to depression of Blacks and Whites (18,19). Authors found evidence suggesting that depression may differently accompany negative cognitions about the future (18) and self (19) which are core elements of depression (4,5). In a cross-sectional study, depression had a stronger link with hopelessness among White than Black older adults (18). In a longitudinal study, depressive symptoms and mastery had reciprocal associations among White but not Black older adults (19). This study shows that Blacks and Whites differ in how depression accompanies negative evaluation of self, another core cognitive element of depression.

Depression is more chronic and disabling for Blacks compared to Whites (52,53). Williams and colleagues used data of the NSAL, 2003, and showed that among those with lifetime MDD, 12-month MDD was higher for Blacks compared to Whites (54). Increased comorbidity with medical conditions (55-58) and also more somatic presentation of depression (59) increase the complexity of diagnosis of depression among Blacks.

Table 1. Descriptive statistics in the pooled sample, and based on race and gender

	All	Black	Whites	Men	Women	White Men	White Women	Black Men	Black Women
	Mean (95% CI)	Mean (95% CI)	Mean (95% CI)	Mean (95% CI)	Mean (95% CI)	Mean (95% CI)	Mean (95% CI)	Mean (95% CI)	Mean (95% CI)
Age	43.44 (42.05-44.84)	42.02 (40.94-43.10)	44.75 (42.04-47.46)	44.04 (42.58-45.50)	42.94 (41.22-44.65)	46.00 (43.43-48.57)	43.64 (40.15-47.12)	41.76 (40.40-43.12)	42.23 (41.05-43.40)
Self-Esteem (Total)	11.50 (11.29-11.72)	11.27(11.06- 11.47)	11.72 (11.34-12.10)	11.30 (10.97-11.63)	11.68 (11.47-11.88)	11.60 (11.01-12.19)	11.83 (11.47-12.19)	10.95 (10.66-11.24)	11.52 (11.30-11.74)
Self-Esteem (Positive)	9.58 (9.49-9.67)	9.49 (9.38-9.59)	9.66 (9.51-9.81)	9.36 (9.24-9.49)	9.75 (9.67-9.84)	9.47 (9.26-9.68)	9.83 (9.71-9.95)	9.24 (9.09-9.39)	9.68 (9.56-9.80)
Self-Esteem (Negative)	1.93 (1.77-2.08)	1.78 (1.64-1.92)	2.06(1.78- 2.34)	1.94 (1.70-2.18)	1.92 (1.75-2.09)	2.13 (1.71-2.55)	2.00 (1.68-2.33)	1.71 (1.50-1.92)	1.84 (1.68-1.99)
Education									
11 or less	19.45 (16.73-22.49)	24.12 (21.79-26.62)	15.13 (10.66-21.04)	19.02 (15.65-22.92)	19.81 (16.55-23.53)	15.90 (10.39-23.57)	14.44 (9.64-21.06)	22.65 (19.54-26.08)	25.28 (21.99-28.89)
12 years	34.28 (31.29-37.40)	37.61 (35.45-39.81)	31.20 (25.79-37.19)	36.40 (30.41-42.85)	32.49 (30.28-34.79)	33.53 (22.80-46.29)	29.12 (25.28-33.28)	39.73 (36.28-43.29)	35.94 (33.43-38.52)
13-15 years	24.08 (22.33-25.93)	23.98 (21.96-26.12)	24.18 (21.23-27.40)	22.68 (19.96-25.65)	25.27 (22.59-28.14)	22.44 (18.16-27.39)	25.74 (20.81-31.39)	22.96 (19.68-26.60)	24.78 (22.56-27.14)
16 years or more	22.19 (17.02-28.39)	14.29 (12.12-16.78)	29.48 (19.87-41.35)	21.90 (15.23-30.44)	22.43 (18.02-27.55)	28.12 (16.12-44.34)	30.70 (22.12-40.85)	14.66 (11.77-18.13)	14.00 (11.86-16.46)
Self-Esteem (Total)									
Low	60.14 (57.01-63.19)	64.01 (61.1266.80)	56.57 (50.67-62.29)	62.19 (58.06-66.15)	58.42 (55.17-61.60)	57.78 (50.49-64.76)	55.48 (49.33-61.46)	67.32 (62.98-71.37)	61.41 (58.27-64.46)
High	39.86 (36.81-42.99)	35.99 (33.20-38.88)	43.43 (37.71-49.33)	37.81 (33.85-41.94)	41.58 (38.40-44.83)	42.22 (35.24-49.51)	44.52 (38.54-50.67)	32.68 (28.63-37.02)	38.59 (35.54-41.73)
Self-Esteem (Positive)									
Low	59.27 (56.68-61.80)	60.18 (57.52-62.78)	58.43 (53.79-62.91)	64.75 (61.55-67.83)	54.65 (52.07-57.20)	63.82 (58.28-69.01)	53.59 (49.16-57.96)	65.84(62.29- 69.22)	55.73 (52.72-58.69)
High	40.73 (38.20-43.32)	39.82 (37.22-42.48)	41.57 (37.09-46.21)	35.25 (32.17-38.45)	45.35 (42.8047.93)	36.18 (30.99-41.72)	46.41 (42.04-50.84)	34.16 (30.78-37.71)	44.27 (41.31-47.28)
Self Esteem (Negative)									
Low	53.54 (50.63-56.42)	59.58 (56.79-62.31)	47.95 (42.80-53.15)	52.32 (46.77-57.81)	54.56 (51.46-57.63)	44.35 (34.74-54.40)	51.18 (45.11-57.22)	38.41 (34.53-42.45)	58.00 (55.16-60.79)
High	46.46 (43.58-49.37)	40.42 (37.69-43.21)	52.05 (46.85-57.20)	47.68 (42.19-53.23)	45.44 (42.37-48.54)	55.65 (45.60-65.26)	48.82 (42.78-54.89)	61.59 (57.55-65.47)	42.00 (39.21-44.84)
MDD									
Yes	14.93 (13.35-16.65)	10.31 (9.19-11.54)	19.20 (16.77-21.89)	12.55 (9.64-16.19)	16.93 (14.43-19.75)	17.33 (12.22-23.99)	20.87 (16.33-26.28)	7.00 (5.58-8.74)	12.91 (11.33-14.67)
No	85.07 (83.35-86.65)	89.69 (88.46-90.81)	80.80 (78.11-83.23)	87.45 (83.81-90.36)	83.07 (80.25-85.57)	82.67 (76.01-87.78)	79.13 (73.72-83.67)	93.00 (91.26-94.42)	87.09 (85.33-88.67)

MDD; Major Depressive Disorder

Table 2. Summary of logistic regressions with race as the predictor and high self-esteem as the outcome

	All			Men			Women		
	Total	Positive	Negative	Total	Positive	Negative	Total	Positive	Negative
	OR (95%CI)	OR (95%CI)	OR (95%CI)	OR (95%CI)	OR (95%CI)	OR (95%CI)	OR (95%CI)	OR (95%CI)	OR (95%CI)
Men	1.19 (1.01-1.40)*	1.51 (1.33-1.71)***	0.94 (0.74-1.21)						
Whites	1.41 (1.03-1.93)*	1.07 (0.87-1.32)	1.63 (1.24-2.15)***	1.44 (0.98-2.12)#	1.01 (0.77-1.31)	1.95 (1.29-2.94)**	1.41 (1.04-1.91)*	1.11 (0.89-1.39)	1.44 (1.08-1.92)*
Age	1.00 (1.00-1.01)	1.00 (1.00-1.01)	1.00 (1.00-1.01)	1.00 (0.99-1.01)	1.01 (1.00-1.02)	1.00 (0.99-1.01)	1.00 (1.00-1.01)#	1.00 (0.99-1.01)	1.00 (1.00-1.01)*
Education									
11 or less									
12 years	0.57 (0.44-0.75)***	0.84 (0.66-1.08)	0.59 (0.45-0.79)***	0.55 (0.34-0.89)*	0.85 (0.52-1.38)	0.54 (0.32-0.92)*	0.59 (0.41-0.86)**	0.85 (0.64-1.13)	0.64 (0.43-0.94)*
13-15 years	0.53 (0.36-0.80)**	0.83 (0.54-1.25)	0.45 (0.320.62)***	0.66 (0.39-1.09)	0.83 (0.47-1.47)	0.47 (0.28-0.81)**	0.45 (0.29-0.69)***	0.82 (0.52-1.30)	0.42 (0.28-0.63)***
16 years or more	0.44 (0.34-0.56)***	0.74 (0.58-0.94)*	0.50 (0.39-0.64)***	0.58 (0.42-0.79)***	0.85 (0.60-1.19)	0.66 (0.41-1.05)#	0.34 (0.23-0.51)***	0.66 (0.47-0.94)*	0.40 (0.26-0.59)***

#p<0.1, *p<0.05, **p<0.01, ***p<0.001

Table 3. Summary of logistic regressions with race and MDD as predictors, and high self-esteem as the outcome

	All			Men			Women		
	Total	Positive	Negative	Total	Positive	Negative	Total	Positive	Negative
	OR (95%CI)	OR (95%CI)	OR (95%CI)	OR (95%CI)	OR (95%CI)	OR (95%CI)	OR (95%CI)	OR (95%CI)	OR (95%CI)
Men	1.16 (0.98-1.37)#	1.52 (1.33-1.73)***	0.89 (0.68-1.15)						
Whites	1.41 (1.03-1.93)*	1.09 (0.88-1.34)	1.59 (1.20-2.12)**	1.46 (0.99-2.15)#	1.04 (0.79-1.37)	1.87 (1.21-2.89)**	1.42 (1.07-1.88)*	1.12 (0.90-1.40)	1.42 (1.08-1.87)*
Age	1.00 (1.00-1.01)	1.00 (1.00-1.01)	1.00 (1.00-1.01)	1.00 (0.99-1.01)	1.01 (0.99-1.02)	1.00 (0.99-1.01)	1.00 (1.00-1.01)	1.00 (0.99-1.01)	1.01 (1.00-1.01)#
Education									
11 or less									
12 years	0.54 (0.41-0.70)***	0.83 (0.65-1.05)	0.56 (0.42-0.74)***	0.53 (0.32-0.90)*	0.87 (0.51-1.49)	0.51 (0.28-0.92)*	0.55 (0.38-0.80)**	0.81 (0.61-1.08)	0.60 (0.41-0.88)*
13-15 years	0.48 (0.31-0.74)***	0.79 (0.51-1.23)	0.39 (0.27-0.57)***	0.65 (0.39-1.09)	0.86 (0.47-1.57)	0.45 (0.25-0.79)**	0.38 (0.23-0.60)***	0.74 (0.44-1.23)	0.35 (0.23-0.54)***
16 years or more	0.43 (0.33-0.55)***	0.76 (0.60-0.96)*	0.48 (0.37-0.62)***	0.61 (0.45-0.83)**	0.93 (0.65-1.33)	0.69 (0.44-1.09)	0.31 (0.21-0.46)***	0.65 (0.46-0.90)*	0.35 (0.23-0.54)***
MDD	0.83 (0.78-0.89)***	0.93 (0.86-1.00)*	0.77 (0.73-0.80)***	0.87 (0.80-0.96)**	0.96 (0.88-1.04)	0.75 (0.68-0.82)***	0.79 (0.73-0.87)***	0.90 (0.82-1.00)*	0.77 (0.72-0.82)***

MDD; Major Depressive Disorder
#p<0.1, *p<0.05, **p<0.01, ***p<0.001

Table 4. Summary of logistic regressions with race, MDD, and race × MDD as predictors, and high self-esteem as the outcome

	All			Men			Women		
	Total	Positive	Negative	Total	Positive	Negative	Total	Positive	Negative
	OR (95%CI)	OR (95%CI)	OR (95%CI)	OR (95%CI)	OR (95%CI)	OR (95%CI)	OR (95%CI)	OR (95%CI)	OR (95%CI)
Men	1.15 (0.97-1.36) [#]	1.51 (1.33-1.72) ^{***}	0.89 (0.68-1.15)	-	-	-	-	-	-
Whites	0.94 (0.56-1.58)	0.78 (0.49-1.24)	1.57 (1.00-2.46) [*]	0.81 (0.37-1.76)	0.48 (0.25-0.93) [*]	1.84 (0.78-4.34)	1.12 (0.58-2.13)	1.05 (0.60-1.85)	1.49 (0.81-2.74)
Age	1.00 (1.00-1.01)	1.00 (1.00-1.01)	1.00 (1.00-1.01)	1.00 (0.99-1.01)	1.01 (0.99-1.02)	1.00 (0.99-1.01)	1.00 (1.00-1.01)	1.00 (0.99-1.01)	1.01 (1.00-1.01) [#]
Education									
11 or less									
12 years	0.54 (0.41-0.70) ^{***}	0.83 (0.65-1.05)	0.56 (0.42-0.74) ^{***}	0.53 (0.32-0.89) ^{**}	0.87 (0.51-1.49)	0.56 (0.28-0.92) [*]	0.55 (0.38-0.80) ^{**}	0.81 (0.60-1.08)	0.60 (0.41-0.88) ^{**}
13-15 years	0.48 (0.32-0.74) ^{***}	0.79 (0.51-1.24)	0.39 (0.27-0.57) ^{***}	0.65 (0.39-1.10)	0.86 (0.46-1.61)	(0.25-0.79) ^{**}	0.38 (0.23-0.60) ^{***}	0.74 (0.44-1.23)	0.35 (0.23-0.54) ^{***}
16 years or more	0.43 (0.33-0.55) ^{***}	0.76 (0.60-0.96) [*]	0.48 (0.37-0.62) ^{***}	0.61 (0.45-0.83) ^{**}	0.92 (0.64-1.32)	(0.43-1.09)	0.31 (0.21-0.46) ^{***}	0.65 (0.47-0.90) ^{**}	0.35 (0.23-0.54) ^{***}
MDD	0.87 (0.80-0.94) ^{***}	0.96 (0.86-1.07)	0.77 (0.72-0.82) ^{***}	0.92 (0.81-1.03)	1.02 (0.92-1.13)	0.75 (0.66-0.84) ^{***}	0.82 (0.71-0.94) ^{**}	0.91 (0.78-1.07)	0.76 (0.69-0.85) ^{***}
MDD×Race (Blacks)	0.62 (0.42-0.92) [*]	0.68 (0.41-1.13)	0.98 (0.68-1.41)	0.51 (0.26-1.00) [*]	0.42 (0.22-0.80) ^{**}	0.98 (0.48-2.02)	0.75 (0.41-1.38)	0.92 (0.46-1.86)	1.06 (0.63-1.79)

MDD; Major Depressive Disorder
[#]p<0.1, ^{*}p<0.05, ^{**}p<0.01, ^{***}p<0.001

In addition to lower chance of diagnosis and treatment, quality of psychiatric services is lower for Blacks as they tend to receive treatments in primary care settings where they seek care for medical conditions (60). Given low access to the healthcare system mistrust, and high stigma, depression is expected to be more consequential for Blacks than Whites (52,54,61). Blacks endorse more negative beliefs regarding pharmaceutical treatment of depression compared to Whites (54), as they have higher tendency to prefer non-pharmacologic approaches (e.g., counseling and prayer), and less frequently believe in high efficacy of depression medications. Blacks have higher tendency to believe that antidepressants are addictive (62). All of these beliefs operate as barriers against depression treatment among Blacks. Thus, improvement of screening, diagnoses, and treatment of depression among Blacks may require enormous efforts (54,63,64).

Multiple disadvantage theory suggests that a new chronic disease or stressor will be more disabling in the presence of multiple conditions and stressors (48). Based on this theory, depression is expected to have more consequences for Blacks than Whites (49). Racial groups differ in number of conditions (28), access to health care, social position, severity of disease (50), and delay until diagnosis and treatment (51) which may explain the stronger effect of depression on self-esteem for Blacks compared to Whites.

Higher effect of MDD on self-esteem of Blacks compared to Whites is compatible by the cumulative disadvantage framework (65) suggesting that the consequences of each risk factor are larger for Blacks. For

instance, in a study, Blacks reported a stronger response to life events, than Whites in a variety of domains (66). In a longitudinal study, change in stress better explained change in depression for Blacks than Whites (67). From other aspect, average levels of self-esteem vary across cultures (68). For example, North American children and adolescents show higher total self-esteem scores compared with their Chinese and Japanese counterparts (68). Social identity theory indicates that individuals' self-concepts are derived from perceived membership of particular social groups (69). Therefore, ethnic identity as an aspect of self-concept may protect individuals from life risks. In line with this, resilience framework also considers self-esteem as a protective factor among youth against stress resulted from negative life events and also as a protective factor against depression (70,71). Cross-sectional studies have also identified a significant negative relation between self-esteem and depressive symptoms for Latino, African American, and White adolescents (71,72). Study findings of Umaña-Taylor (71) among 1062 Mexican-origin adolescents who were attending schools with various ethnic composition (i.e., predominately Latino, predominately non-Latino, and balanced Latino/non-Latino) indicated that ethnic identity exploration positively predicts self-esteem and that self-esteem partially mediates the relation between perceived discrimination and adolescents' depressive symptoms (68).

Based on a phenomenon called the Black-White paradox (73,74), despite high levels

of medical conditions, depression is not common among Blacks (75). Despite being exposed to a wide range of stressors (76), Blacks have disproportionately low rates of depression (77). Blacks' low rate of depression despite higher psychosocial stress and chronic medical conditions (76-80) suggests that race mitigates correlates of depression in a wide range of domains. Differential correlates of depression and depressive symptoms among Whites and Blacks may be in part due to racial differences in how depression influences evaluation of self, others, and future (18).

The results reported here have major clinical implications for diagnosis and treatment of depression, as well as handling low self-esteem in diverse populations. We argue that psychotherapies and cognitive behavioral therapies may differently benefit from considering and targeting self-esteem across race groups. To be more specific, health care providers and therapists who treat depression may consider additional focus on dysfunctional attitudes and beliefs about self among Blacks with depression, particularly Black men with depression. Low self-esteem may be a more important part of depression among Blacks, compared to Whites. Future research should also determine direction of the association, whether effect of depression on self-esteem is stronger for Blacks, or Blacks with low self-esteem are more susceptible to depression.

Our study had a few limitations. First, differential validity of measurements for MDD, and self-esteem was not ruled out. In addition, we cannot rule out under-reporting of depression among Blacks (81,82). The

validation of the CIDI diagnosis of MDE using the Structured Clinical Interview for DSM-IV (SCID) has shown high validity among Blacks, even higher than Whites (83). Despite the above limitations, our study had numerous strengths. This is one of the first studies on the moderating effects of race on the link between depression and self-esteem. Using a nationally representative sample was an additional strength of the current study.

The extent to which depression deteriorates self-esteem of racial groups is not well known. By the same amount of exposure, responses and consequences of stress depend on race (84). Despite the above limitations, results provided here shed more light on racial and gender disparities in depression. Our results may show one of many ways that explain racial disparities and thus may be helpful for policy makers and program planners to tackle racial inequalities in the United States.

To conclude, Blacks and Whites differ in the link between MDD and self-esteem, with Blacks showing a stronger association between the two than Whites. The stronger link between depression and low self-esteem among Blacks may be one of several mechanisms behind lower health care utilization, as well as worse outcomes associated with depression treatment among Blacks. The mechanism behind differential link between depression and cognitive elements of depression across ethnic populations is unclear (85). Future research is needed on cross-cultural differences in the link between depression and evaluation of self, others, and future. This information

may also help us better understand racial differences in outcomes as well as course of depression (86-88).

Acknowledgements

For this analysis, public data set of the NSAL was downloaded from the Interuniversity Consortium for Political and Social Research (ICPSR), Institute for Social Research, University of Michigan.

Conflict of Interest

Shervin Assari and Masoumeh Dejman declare that they do not have any potential conflicts of interest to report.

Funding/Support

Shervin Assari is supported by the Heinz C. Prechter Bipolar Research Fund and the Richard Tam Foundation at the University of Michigan Depression Center. The NSAL is mostly supported by the National Institute of Mental Health, with grant U01-MH57716. Other support came from the Office of Behavioral and Social Science Research at the National Institutes of Health and the University of Michigan.

Authors' Contribution

Shervin Assari designed the work, analyzed the data, and drafted the manuscript. Masoumeh Dejman contributed to the conceptualization and revision of the paper.

Informed Consent

Informed consent was obtained from all participants. All procedures performed in studies involving human participants were in accordance with the ethical standards of the institutional and/or national research committee and with the 1964 Helsinki declaration and its later amendments or comparable ethical standards.

References

1. American Psychiatric Association. Diagnostic and Statistical Manual of Mental Disorders. 4th ed. Washington, DC: Orth U. 2000.
2. Lasko DS, Field TM, Gonzalez KP, Harding J, Yando R, Bendell D. Adolescent Depressed Mood and Parental Unhappiness. *Adolescence* 1996;31(121): 49-57.
3. Farruggia SP, Chen C, Greenberger E, Dmitrieva J, Macek P. Adolescent Self-esteem in Cross-cultural Perspective Testing Measurement Equivalence and a Mediation Model. *Journal of Cross-Cult Psychol* 2004;35(6):719-33.
4. Beck AT, Rush AJ, Shaw BF, Emery G. *Cognitive Therapy of Depression*. 1st ed. New York: The Guilford Press; 1979. pp.11.
5. Moilanen DL. Validity of Beck's Cognitive Theory of Depression with Non-referred Adolescents. *J Couns Dev* 1995;73:438-42.
6. Abela JR, D'Alessandro DU. Beck's Cognitive Theory of Depression: a Test of the Diathesis-stress and Causal Mediation Components. *Br J Clin Psychol* 2002;41(2):111-28.
7. Lucas RE, Diener E, Suh E. Discriminant Validity of Well-being Measures. *J Pers Soc Psychol* 1996 Sep;71(3):616-28.
8. Roberts JE, Gotlib IH. Temporal Variability in Global Self-esteem and Specific Self-evaluation as Prospective Predictors of Emotional Distress: Specificity in Predictors and Outcome. *J Abnorm Psychol* 1997;106(4):521-9.

9. Zeigler-Hill V. The Connections between Self-esteem and Psychopathology. *J Contemp Psychother* 2011; 41:157-64.
10. Shahar G, Davidson L. Depressive Symptoms Erode Self-esteem in Severe Mental Illness: a Three-wave, Cross-lagged Study. *J Consult Clin Psychol*. 2003;71(5):890.
11. Shahar G, Henrich CC. Do Depressive Symptoms Erode Self-esteem in Early Adolescence? *Self and Identity* 2010;9(4):403-15.
12. Coyne JC, Gallo SM, Klinkman MS, Calarco MM. Effects of Recent and Past Major Depression and Distress on Self-concept and Coping. *J Abnorm Psychol* 1998;107(1):86.
13. Orth U, Robins RW, Widaman KF, Conger RD. Is Low Self-esteem a Risk Factor for Depression? Findings from a Longitudinal Study of Mexican-origin Youth. *Dev Psychol* 2014;50(2):622-33.
14. Sowislo JF, Orth U. Does low self-esteem Predict Depression and Anxiety? a Meta-analysis of Longitudinal Studies. *Psychol Bull* 2013;139:213-40.
15. Chiu, Lian-Hwang. Self-esteem in American and Chinese (Taiwanese) Children. *Curr Psychol* 1992;11(4):309-13.
16. Diener Ed, Diener M. Cross-cultural Correlates of Life Satisfaction and Self-esteem. *Culture and Well-Being* 2009;38: 71-91
17. Markus HR, Kitayama S. Culture and the Self: Implications for Cognition, Emotion, and Motivation. *Psychol Rev* 1991;98(2):224.
18. Assari S, Lankarani MM. Depressive Symptoms Are Associated with More Hopelessness among White than Black Older Adults. *Front Public Health* 2016;4:82.
19. Assari S, Lankarani MM, Reciprocal Associations between Depressive Symptoms and Mastery over Time; Comparison of Black and White Older Adults in U.S. *J Racial Ethnic Health Dispar*. 2016 [Under Review].
20. Lankarani MM, Assari S. Association between Number of Comorbid Medical Conditions and Depression among Individuals with Diabetes; Race and Ethnic Variations. *J Diabetes Metab Disord* 2015;7;14:56.
21. Assari S, Lankarani MM. Association between Stressful Life Events and Depression; Intersection of Race and Gender. *J Racial Ethnic Health Dispar* 2016;3(2):349-56.
22. Assari S, Dejman M, Neighbors HW. Ethnic Differences in Separate and Additive Effects of Anxiety and Depression on Self-rated Mental Health Among Blacks. *J Racial Ethnic Health Dispar* 2015;2(3):1-7.
23. Slopen N, Williams DR, Fitzmaurice GM, Gilman SE. Sex, Stressful Life Events, and Adult Onset Depression and Alcohol Dependence: Are Men and Women Equally Vulnerable? *Soc Sci Med* 2011; 73(4):615-22.
24. Assari S. Association between Obesity and Depression among American Blacks: Role of Ethnicity and Gender. *J Racial Ethnic Health Dispar* 2014;1:36-44.
25. Assari S. Additive Effects of Anxiety and Depression on Body Mass Index among Blacks: Role of Ethnicity and Gender. *Int Cardiovasc Res Journal* 2014;8(1):44-51.
26. Assari S. Separate and Combined Effects of Anxiety, Depression and Problem Drinking on Subjective Health among Black, Hispanic and Non-Hispanic White Men. *Int J Prev Med* 2014; 5(3):269-79.
27. Assari S. Chronic Medical Conditions and Major Depressive Disorder: Differential Role of Positive Religious Coping among African Americans, Caribbean Blacks and Non-Hispanic Whites. *Int J Prev Med* 2014; 5(4):405-13.
28. Watkins DC, Assari S, Johnson-Lawrence V. Race and Ethnic Group Differences in Comorbid Major Depressive Disorder, Generalized Anxiety Disorder, and Chronic Medical Conditions. *J Racial Ethnic Health Dispar* 2015;2(3):385-94.

29. Assari S, Moazen-Zadeh E, Lankarani MM, Micol-Foster V. Race, Depressive Symptoms, and All-Cause Mortality in the United States. *Front Public Health* 2016; 4:40.
30. Assari S, Burgard S. Black-White Differences in the Effect of Baseline Depressive Symptoms on Deaths Due to Renal Diseases: 25 Year Follow Up of a Nationally Representative Community Sample. *J Renal Inj Prev* 2015;4(4):127-34.
31. Assari S, Burgard S, Zivin K. Long-Term Reciprocal Associations between Depressive Symptoms and Number of Chronic Medical Conditions: Longitudinal Support for Black-White Health Paradox. *J Racial Ethn Health Disparities* 2015;2(4):589-97.
32. Jackson JS, Neighbors HW, Nesse RM, Trierweiler SJ, Torres M. Methodological Innovations in the National Survey of American Life. *Int J Methods in Psych Res* 2004;13:289-98.
33. Heeringa SG, Wagner J, Torres M, Duan N, Adams T, Berglund P. Sample Designs and Sampling Methods for the Collaborative Psychiatric Epidemiology Studies (CPES). *Int J Methods Psychiatr Res* 2004;13(4):221-40.
34. Rosenberg M. *Society and the Adolescent Self-Image*. 1st ed. Princeton, NJ: Princeton University Press; 1965.
35. Crocker J, Thompson LL, McGraw KM, Ingerman C. Downward Comparison, Prejudice, and Evaluations of Others: Effects of Self-esteem and Threat. *J Pers Soc Psychol* 1987;52:907-16.
36. Schmitt DP, Allik J. Simultaneous Administration of the Rosenberg Self-Esteem Scale in 53 Nations: Exploring the Universal and Culture-specific Features of Global Self-esteem. *J Pers Soc Psychol* 2005;89:623-42.
37. Papadopoulos NA, Staffler V, Mirceva V, Henrich G, Papadopoulos ON, Kovacs L, Herschbach P, Machens HG, Biemer E. Does Abdominoplasty Have a Positive Influence on Quality of Life, Self-esteem, and Emotional Stability? *Plast Reconstr Surg* 2012;129:957e-62e.
38. Özhayat EB. Influence of Negative Affectivity and Self-esteem on the Oral Health Related Quality of Life in Patients Receiving Oral Rehabilitation. *Health Qual Life Outcomes* 2013;11:178.
39. Kessler, RC, Andrews, G, Mroczek, D, Ustun, B, Wittchen, H. The World Health Organization Composite International Diagnostic Interview Short Form (CIDI-SF). *Int J Methods in Psych Res* 1998;7:171-85.
40. Wittchen HU. Reliability and Validity Studies of the WHO-Composite International Diagnostic Interview (CIDI): a Critical Review. *J Psychiatr Res* 1994;28:57-84.
41. Kessler RC, Wittchen H-U, Abelson JM, McGonagle KA, Schwarz N, Kendler KS, Knauper B, Zhao S. Methodological Studies of the Composite International Diagnostic Interview (CIDI) in the US National Comorbidity Survey. *Int J Methods Psychiatr Res* 1998; 7:33-55.
42. Kessler RC, Calabrese JR, Farley PA, Gruber MJ, Jewell MA, Katon W, Keck PE, Nierenberg AA, Sampson NA, Shear MK, Shillington AC, Stein MB, Thase ME, Wittchen HU. Composite International Diagnostic Interview Screening Scales for DSM-IV Anxiety and Mood Disorders. *Psychol Med* 2013;43(8):1625-37.
43. Williams DR, Haile R, González HM, Neighbors H, Baser R, Jackson JS. The Mental Health of Black Caribbean Immigrants: Results from the National Survey of American Life. *Am J Public Health* 2007;97(1):52-9.
44. Assari S, Lankarani MM. Race and Urbanity Alter the Protective Effect of Education but not Income on Mortality. *Front Public Health*. 2016 May 20;4:100. doi: 10.3389/fpubh.2016.00100.
45. Assari S, Moghani Lankarani M, Moghani Lankarani R, Ethnicity Modifies the Effects of Anxiety and Drug Use on Suicidal Ideation among Black Adults in the United States. *Int J Prev Med* 2013; 4(11):1151.

46. Assari S. Race and Ethnicity, Religion Involvement, Church-based Social Support and Subjective Health in United States: A Case of Moderated Mediation. *Int J Prev Med* 2013 ;4(2):208-17.
47. Assari S, Smith JR, Caldwell CH, Zimmerman MA. Gender Differences in Longitudinal Links between Neighborhood Fear, Parental Support, and Depression among African American Emerging Adults. *Societies* 2015;5(1):151-70.
48. Belsky J. Variation in susceptibility to rearing influences: An evolutionary argument. *Psychological Inquiry* 1997; 8 (3): 182-186.
49. Belsky J, Bakermans-Kranenburg MJ, Van IJzendoorn MH. For better and for worse differential susceptibility to environmental influences. *Current Directions in Psychological Science* 2007;16(6):300-4.
50. Belsky J, Pluess M. Beyond diathesis stress: differential susceptibility to environmental influences. *Psychol Bull.* 2009; 135(6):885-908.
51. Boyce WT, Ellis BJ. Biological sensitivity to context: I. An evolutionary-developmental theory of the origins and functions of stress reactivity. *Dev Psychopathol.* 2005;17(2):271-301.
52. Gonzalez HM, Tarraf W. Comorbid Cardiovascular Disease and Major Depression among Ethnic and Racial Groups in the United States. *Int Psychogeriatr* 2013;25(5):833-41.
53. Williams DR, González HM, Neighbors H, Nesse R, Abelson JM, Sweetman J, et al. Prevalence and Distribution of Major Depressive Disorder in African Americans, Caribbean Blacks, and Non-Hispanic Whites: results from the National Survey of American Life. *Arch Gen Psychiatr* 2007;64(3):305-15.
54. Williams DR, González HM, Neighbors H, Nesse R, Abelson JM, Sweetman J, et al. Prevalence and Distribution of Major Depressive Disorder in African Americans, Caribbean Blacks, and Non-Hispanic Whites: Results from the National Survey of American Life. *Arch Gen Psychiatr* 2007;64(3):305-15.
55. Cabassa LJ, Humensky J, Druss B, Lewis-Fernández R, Gomes AP, Wang S, et al. Do Race, Ethnicity, and Psychiatric Diagnoses Matter in the Prevalence of Multiple Chronic Medical Conditions? *Med Care* 2013;51(6):540-7.
56. Johnson-Lawrence VD, Griffith DM, Watkins DC. The Effects of Race, Ethnicity and Mood/anxiety Disorders on the Chronic Physical Health Conditions of Men from a National Sample. *Am J Men's Health* 2013;7(4S):58S-67S.
57. Assari S, Watkins DC, Caldwell CH. Race Attribution Modifies the Association between Daily Discrimination and Major Depressive Disorder among Blacks: the Role of Gender and Ethnicity. *J Racial Ethn Health Disparities* 2015;2 (2):200-10.
58. Kessler RC, Gruber M, Hettema JM, Hwang I, Sampson N, Yonkers KA. Co-morbid Major Depression and Generalized Anxiety Disorders in the National Comorbidity Survey follow-up. *Psychol Med* 2008;38(3):365-74.
59. Bailey RK, Blackmon HL, Stevens FL. Major Depressive Disorder in the African American Population: Meeting the Challenges of Stigma, Misdiagnosis, and Treatment Disparities. *J Natl Med Assoc* 2009;101(11):1084-9.
60. Agyemang AA, Mezuk B, Perrin P, Rybarczyk B. Quality of Depression Treatment in Black Americans with Major Depression and Comorbid Medical Illness. *Gen Hosp Psychiatry* 2014;36(4):431-6.
61. Givens JL, Katz IR, Bellamy S, Holmes WC. Stigma and the acceptability of depression treatments among african americans and whites. *J Gen Intern Med.* 2007 Sep;22(9):1292-7.
62. Jackson JS, Knight KM. Race and Self-regulatory Health Behaviors: the Role of the Stress Response and the HPA Axis in Physical and Mental Health Disparities. In: Schaie KW, Carstensen LL, editors. *Social Structures, Aging, and Self-regulation in the*

- Elderly. New York: Springer; 2006. p. 189-207.
63. Bell C, Williamson J, Chien P. Cultural, Racial and Ethnic Competence and Psychiatric Diagnosis. *Ethn Inequal Health Soc Care* 2008;1(1):34-41.
 64. Williams DR, Haile R, González HM, Neighbors H, Baser R, Jackson JS. The Mental Health of Black Caribbean Immigrants: Results from the National Survey of American Life. *Am J Public Health* 2007;97(1):52-9.
 65. Dannefer Dale. Cumulative Advantage/Disadvantage and the Life Course: Cross-Fertilizing Age and Social Science Theory. *J Gerontol: Series B* 2003;58(6):S327-S37.
 66. Watkins DC, Green BL, Rivers BM, Rowell KL. Depression and Black Men: Implications for Future Research. *Journal of Men's Health & Gender* 2006; 3:227-35.
 67. George LK, Lynch SM. Race Differences in Depressive Symptoms: a Dynamic Perspective on Stress Exposure and Vulnerability. *J Health Soc Behav* 2003;44(3):353-69.
 68. Heine SJ, Lehman DR. Culture, Self-discrepancies, and Self-satisfaction. *Pers Soc Psychol Bull* 1999; 25:915-25.
 69. Tajfel H. *Social Identity and Intergroup Relations*. Cambridge, England, United Kingdom: Cambridge University Press; 2010.
 70. Piko BF, Fitzpatrick KM. Depressive Symptomatology among Hungarian Youth: a Risk and Protective Factors Approach. *Am J Orthopsychiatry* 2003;73:44.
 71. Umaña-Taylor AJ, Updegraff KA. Latino Adolescents' Mental Health: Exploring the Interrelations among Discrimination, Ethnic Identity, Cultural Orientation, Self-esteem, and Depressive Symptoms. *J adolesc* 2007;30:549-67.
 72. Portes PR, Zady MF. Self-esteem in the Adaptation of Spanish-speaking Adolescents: the Role of Immigration, Family Conflict, and Depression. *Hispanic J Behav Sic* 2002;24:296-318.
 73. Keyes CL. The Black-White Paradox in Health: Flourishing in the Face of Social Inequality and Discrimination. *J Pers* 2009;77(6):1677-706.
 74. Assari S, Burgard S, Zivin K. Long-term Reciprocal Associations between Depressive Symptoms and Number of Chronic Medical Conditions: Longitudinal Support for Black-White Health Paradox. *J Rac Ethnic Health Dispar* 2015; 2(4): 589-597.
 75. Mouzon DM. Relationships of Choice: Can Friendships or Fictive Kinships Explain the Race Paradox in Mental Health? *Soc Sci Res* 2014; 44:32-43.
 76. Vines AI, Ta M, Esserman D, Baird DD. A Comparison of the Occurrence and Perceived Stress of Major Life Events in Black and White Women. *Women Health* 2009; 49(5):368-80.
 77. Williams DR, González HM, Neighbors H, Nesse R, Abelson JM, Sweetman J, Jackson JS. Prevalence and Distribution of Major Depressive Disorder in African Americans, Caribbean Blacks, and non-Hispanic Whites: Results from the National Survey of American Life. *Arch Gen Psychiatry* 2007;64(3):305-15.
 78. Assari S, Watkins DC, Caldwell CH. Race Attribution Modifies the Association Between Daily Discrimination and Major Depressive Disorder Among Blacks: the Role of Gender and Ethnicity. *J Rac Ethnic Health Dispar* 2014, 1-11.
 79. Assari S, Smith JR, Caldwell CH, Zimmerman MA. Gender Differences in Longitudinal Links between Neighborhood Fear, Parental Support, and Depression among African American Emerging Adults. *Societies* 2015; 5(1):151-70.
 80. Brown LJP, Powell J, Earls F. Stressful Life Events and Psychiatric Symptoms in Black Adolescent Females. *J Adolesc Res* 1989;4(2):140-51.
 81. Hunt M, Auriemma J, Cashaw AC. Self-report Bias and Underreporting of Depression on the BDI-II. *J Pers Assess* 2003;80(1):26-30.

82. Ward E, Mengesha M. Depression in African American Men: A Review of What We Know and Where We Need to Go From Here. *Am J Orthopsychiatry* 2013;83(203):386-97.
83. Boardman JD, Alexander KB. Stress Trajectories, Health Behaviors, and the Mental Health of Black and White Young Adults. *Soc Sci Med* 2011;72(10):1659-66.
84. Latkin CA, Curry AD, Hua W, Davey MA. Direct and Indirect Associations of Neighborhood Disorder with Drug use and High-risk Sexual Partners. *Am J Prev Med* 2007;32(6 Suppl):S234-41.
85. Williams DR, Neighbors HW, Jackson JS. Racial/ethnic Discrimination and Health: Findings from Community Studies. *Am J Public Health* 2003;93(2):200-8.
86. Takeuchi DT, Zane N, Hong S, Chae DH, Gong F, Gee GC, Walton E, Sue S, Alegria M. Immigration-related Factors and Mental Disorder among Asian Americans. *Am J Public Health* 2007;97:84-90.
87. Kessler RC, Berglund P, Demler O, Jin R, Merikangas KR, Walters EE. Lifetime Prevalence and Age-of-onset Distributions of DSM-IV Disorders in the National Comorbidity Survey Replication. *Arch Gen Psych* 2005;62:593-602.
88. Kessler RC, Chiu WT, Demler O, Walters EE. Prevalence, Severity, and Comorbidity of 12 Month DSM-IV Disorders in the National Comorbidity Survey Replication. *Arch Gen Psych* 2005;62:617-27.